ELSEVIER

Volume 527, Numbers 1–2, 11 January 1997

Journal of Organometallic Chemistry

# Contents

*Regular Papers*

Synthesis and X-ray crystal structure of 2-(methoxymethyl)phenyldicyclopentadienyltitanium (III)
M. Schreuder Goedheijt, T. Nijbacker, O.S. Akkerman, F. Bickelhaupt (Amsterdam, Netherlands), N. Veldman and A.L. Spek (Utrecht, Netherlands) . . . . . 1

The formation and structures of the methyl-bridged complexes $Cp^*TiMe_2(\mu\text{-}Me)B(C_6F_5)_3$ and $[Cp^*TiMe_2(\mu\text{-}Me)TiMe_2Cp^*][MeB(C_6F_5)_3]$
Q. Wang, D.J. Gillis, R. Quyoum, D. Jeremic, M.-J. Tudoret and M.C. Baird (Kingston, Canada) . . . . . 7

Novel hydroxo bidentate carboxylate bridging in diorganotin(IV) carboxylate complex. Synthesis and crystal structure of $\mu$-hydroxo-$\mu$-trichloroacetato-*O*,*O*′-bis(trichloroacetato-*O*)-bis[dibutyltin(IV)], $Sn_2(C_4H_9)_4(O_2CCCl_3)_3(OH)$
S.-G. Teoh, S.-H. Ang, E.-S. Looi, C.-A. Keok, S.-B. Teo and H.-K. Fun (Penang, Malaysia) . . . . . 15

Stereoelectronic effects on arene rotation: the structure and fluxionality of $[1,4\text{-}C_6H_4(SiMe_3)_2]Cr(CO)_2PPh_3$ and $[1,3,5\text{-}C_6H_3{}^tBu_3)Cr(CO)_2PPh_3$
J.A.S. Howell, C.J. Beddows, P.J. O'Leary, P.C. Yates (Keele, UK), P. McArdle, D. Cunningham (Galway, Ireland) and H.E. Gottlieb (Ramat Gan, Israel) . . . . . 21

Synthesis and spectroscopic characterisation of $CpCoFe_2(CO)_5(\mu_3\text{-}Se)_2(\widehat{PP})$ [$\widehat{PP}$ = dppm or dppe]: crystal structure of $CpCoFe_2(CO)_5(\mu_3\text{-}Se)_2$(dppm)
P. Mathur and P. Sekar (Bombay, India) . . . . . 29

A study of the reactivity of *trans*-$[RuCl_2(dppm)_2]$ toward isocyanides
J. Ruiz, M.E.G. Mosquera and V. Riera (Oviedo, Spain) . . . . . 35

The Friedel–Crafts reactivity of ($\eta^5$-cyclopentadienyl)dicarbonylcobalt
S.T. Mabrouk, W.P. Hart and M.D. Rausch (Amherst, MA, USA) . . . . . 43

Synthesis, structure and hydrolysis of some [($\eta^5$-cyclopentadienyl)($\eta^6$-arene)iron(II)][$PF_6$] complexes bearing an imine or a nitrone function in $\alpha$-position of the arene ligand
F. Pierre, C. Moinet and L. Toupet (Rennes, France) . . . . . 51

Chiral poisoning of *rac*-diop iridium complexes in the catalytic enantioselective hydrogenation of imines
R. Sablong, J.A. Osborn (Strasbourg, France) and J.W. Faller (New Haven, CT, USA) . . . . . 65

The synthesis and polymerization behavior of methoxy-substituted (indenyl)trichlorotitanium complexes
P. Foster, M.D. Rausch and J.C.W. Chien (Amherst, MA, USA) . . . . . 71

Anomalous reactivity of triphenylarsine and triarylphosphines of low basicity with $[Ir(cod)(py)_2][PF_6]$ and use of the complexes as precatalysts for imine hydrogenation
R.B. Bedford, P.A. Chaloner, S.Z. Dewa (Sussex, UK), G. López (Murcia, Spain), P.B. Hitchcock (Sussex, UK), F. Momblona and J.L. Serrano (Murcia, Spain) . . . . . 75

Synthesis, spectroscopic and structural characterisation of $(CO)_6Fe_2EE'\{\mu\text{-}C(H)(CH_3)\}_2$ and $(CO)_6Fe_2\{\mu\text{-}EC(H)(CH_3)E'\}$ (E, E′ = S, Se, Te)
P. Mathur, B. Manimaran, C.V.V. Satyanarayana (Bombay, India) and B. Varghese (Madras, India) . . . . . 83

Cyclometallation of indole derivatives: cyclopalladation of gramine and 1-methyl gramine and CO insertion
S. Tollari, F. Demartin, S. Cenini (Milan, Italy), G. Palmisano (Turin, Italy) and P. Raimondi (Milan, Italy) . . . . . 93

Asymmetric hydroformylation catalyzed by an Rh(I)-(*R*,*S*)-BINAPHOS complex: substituent effects in olefins on the regioselectivity
K. Nozaki, T. Nanno and H. Takaya (Kyoto, Japan) . . . . . 103

Bis[2-(dimethylaminomethyl)ferrocenyl]-thalliumchlorid — ein heterobimetallischer Chelatkomplex
K. Jacob, J. Scholz, K. Merzweiler (Halle, Germany) und C. Pietzsch (Freiberg/Sa., Germany) . . . . . 109

Elsevier Science S.A.

Base catalysed hydrogenation of methylbromooligosilanes with trialkylstannanes, identification of the first methylbromohydrogenoligosilanes
U. Herzog and G. Roewer (Freiberg, Germany) . . . . . 117

Synthesis and characterization of new homo-heterobinuclear platinum(II) complexes with dimethylphosphonate as bridging ligands. Crystal structure of $[(\eta^2\text{dppm})\text{Pt}\{\mu\text{-P(O)(OMe)}_2\}_2(\mu\text{-I})\text{PtMe}_3]$
R. Contreras, M. Valderrama, A. Nettle and D. Boys (Santiago, Chile) . . . . . 125

Facile complexation of 1,1′-bis(diphenylphosphino)ruthenocene (dppr) to ruthenium(II) — simple entry to stable bimetallic ruthenoruthenocenyl system
B. Wei, S. Li, H.K. Lee and T.S.A. Hor (Singapore) . . . . . 133

Formation and chemistry of the transient 17-electron compounds $\text{CpFe(CO)L}^{\cdot}$ ($\text{L} = \text{PMe}_2\text{Ph}$, $\text{PPh}_3$)
I. Kuksis and M.C. Baird (Kingston, Canada) . . . . . 137

Synthesis and characterisation of platinum(0) complexes of propenoates: X-ray diffraction study of $[\text{Pt}(\text{CH}_2{=}\text{CHCO}_2\text{CH}_2\text{Ph})(\text{PPh}_3)_2]$
P.A. Chaloner, S.E. Davies and P.B. Hitchcock (Brighton, UK) . . . . . 145

Synthesis and polymerization behavior of various substituted indenyl titanium complexes as catalysts for syndiotactic polystyrene
Y. Kim, B.H. Koo and Y. Do (Taejon, South Korea) . . . . . 155

Synthesis of N,C-dilithio-2-allylpyrrole and its solvent-controlled reactions with electrophiles
B. Wrackmeyer, I. Ordung and B. Schwarze (Bayreuth, Germany) . . . . . 163

Structure and molecular dynamics of $\text{Ru}_2(\text{CO})_6(\mu\text{-PCy}_2)_2$: an unusual case of cyclohexyl rearrangement
A. Béguin, M.C. Dai (Neuchâtel, Switzerland), G. Laurenczy (Lausanne, Switzerland), G. Rheinwald (Neuchâtel, Switzerland), R. Roulet (Lausanne, Switzerland), H. Stoeckli-Evans, G. Süss-Fink and R. Tabacchi (Neuchâtel, Switzerland) . . . . . 167

A sterically hindered bis-η-alkylcyclopentadienylzirconium compound as catalyst for the polymerisation of ethene and propene
E. Polo (Ferrara, Italy), M.L.H. Green (Oxford, UK), F. Benetollo (Padova, Italy), G. Prini, S. Sostero and O. Traverso (Ferrara, Italy) . . . . . 173

Synthesis and redox chemistry of 1,1′-bis(diphenylphosphino)ferrocene derivatives of $\text{R}_2\text{C}_2\text{Co}_2(\text{CO})_6$ ($\text{R} = \text{MeO}_2\text{C}$, $\text{CF}_3$)
C.J. McAdam, N.W. Duffy, B.H. Robinson and J. Simpson (Dunedin, New Zealand) . . . . . 179

Dynamic features of the zirconocene–boron–betaine complexes obtained by treatment of bis(alkynyl)zirconocenes with the tris(pentafluorophenyl)borane Lewis-acid
W. Ahlers, B. Temme, G. Erker, R. Fröhlich and T. Fox (Münster, Germany) . . . . . 191

The reactivity of aza–diferra–thia tetrahedranes $\text{Fe}_2(\text{CO})_6(\mu\text{-SNR})$: reductive cleavage of the S–N bond and CO substitution
M. Herberhold and U. Bertholdt (Bayreuth, Germany) . . . . . 203

Zwei strukturell verschiedenartige Stibocenium-Kationen
H. Sitzmann, Y. Ehleiter, G. Wolmershäuser (Kaiserslautern, Germany), A. Ecker, C. Üffing und H. Schnöckel (Karlsruhe, Germany) . . . . . 209

Protonation reactions of the triangular cluster anion $[\text{Re}_3(\mu\text{-H})_3(\mu\text{-NC}_5\text{H}_4)(\text{CO})_{10}]^-$ containing an orthometalated pyridine molecule
T. Beringhelli, G. D'Alfonso and M. Panigati (Milano, Italy) . . . . . 215

Synthesis of lanthanide complexes coordinated by an asymmetric cyclopentadienyl ligand
A.A. Trifonov, P. Van de Weghe, J. Collin (Orsay, France), A. Domingos and I. Santos (Sacavém, Portugal) . . . . . 225

Synthesis and structure of a μ-(*E*)-vinylene-bis[dimethylglyoximato(1-)dimethylglyoximato(2-)-(triphenylphosphine)rhodate] complex: a vinylene-bridged dinuclear rhodium complex
D. Steinborn, A.M.A. Aisa, F.W. Heinemann and S. Lehmann (Halle, Germany) . . . . . 239

Diiron σ–π alkenyl complexes: crystal structures of *cis*-$[\text{Fe}_2(\text{CO})_4(\mu\text{-RC}{\equiv}\text{CH}_2)(\mu\text{-PPh}_2)(\mu\text{-dppm})]$, ($\text{R} = \text{Ph}$, $\text{CH}_2\text{OH}$), *trans*-$[\text{Fe}_2(\text{CO})_4(\mu\text{-HC}{=}\text{CHPh})(\mu\text{-PPh}_2)(\mu\text{-dppm})]$ and the α,β-unsaturated acyl complex *trans*-$[\text{Fe}_2(\text{CO})_4\{\mu\text{-O}{=}\text{C–C(Ph)}{=}\text{CH}_2\}(\mu\text{-PCy}_2)(\mu\text{-dppm})]$
G. Hogarth, M.H. Lavender and K. Shukri (London, UK) . . . . . 247

A simple high-yielding synthesis of ferrocene-1′,-diylbis-(methyltrimethylammonium iodide)
C. Glidewell, B.J.L. Royles and D.M. Smith (St. Andrews, UK) . . . . . 259

Reactions of bis(iminophosphoranes) with palladium(II) dichloride: metal-induced tautomerization orthopalladation and unexpected platinum-assisted [2 + 2] cycloaddition of an aryl–nitrile with a phosphinimine moiety
M.W. Avis, M.E. Van der Boom, C.J. Elsevier (Amsterdam, Netherlands), W.J.J. Smeets and A.L. Spek (Utrecht, Netherlands) . . . . . 263

Metastable ion study of organosilicon compounds. Part IX. $\text{CH}_3\text{COOSi(CH}_3)_3$ and $\text{CF}_3\text{COOSi(CH}_3)_3$
S. Mori, F. Okada (Kanagawa, Japan), O. Sekiguchi, M. Fujishige, R. Koitabashi and S. Tajima (Gunma, Japan) . . . . . 277

*Preliminary Communications*

Reversible on/off switching of CH → Rh interactions in rhodathiaboranes with "anomalous" electron counts. Synthesis and molecular structure of $[(Ph_3P)_2N][1\text{-dppe-}1,2\text{-}closo\text{-}RhSB_9H_9]$
K.J. Adams, T.D. McGrath, R.Ll. Thomas, A.S. Weller and A.J. Welch (Edinburgh, UK) . . . . . 283

The first water soluble metal–enediyne complexes: structural characterization of *trans*-$[Os(en)_2(\eta^2\text{-L})Br]^+Br^-$ (en = ethylenediamine, L = *cis*-1,6-bistrimethylsilyl-3-ene-1,5-diyne)
T. Hasegawa (Stanford, CA, USA) and L. Pu (Fargo, ND, USA) . . . . . 287

Synthesis and structural characterisation of the first uncoordinated phosphorus-substituted stibolyl anion
M.D. Francis (Swansea, UK), D.E. Hibbs, M.B. Hursthouse (Cardiff, UK), C. Jones (Swansea, UK) and K.M.A. Malik (Cardiff, UK) . . . . . 291

Organylsilatranes from the reaction of tetraorganylsilanes with triethanolamine
V. Gevorgyan, L. Borisova and E. Lukevics (Riga, Latvia) . . . . . 295

*Ansa*-bis(indenyl)dimethylamido zirconocenes
A. Vogel, T. Priermeier and W.A. Herrmann (Garching bei München, Germany) . . . . . 297

*Priority Communications*

Aluminum–nickel bonded intermediates in the Ziegler Nickel Effect: mechanistic support from catalyzed hydroalumination and carbalumination reactions
J.J. Eisch, X. Ma, M. Singh (Binghamton, NY, USA) and G. Wilke (Mülheim (Ruhr), Germany) . . . . . 301

The molecular structure of 2,2',5,5'-tetraphenyl-1,1'-diphosphaferrocene
P.B. Hitchcock, G.A. Lawless and I. Marziano (Brighton, UK) . . . . . 305

*Book Review* . . . . . 309

*Author Index* . . . . . 311

*Subject Index* . . . . . 313

*Conference Calendar* . . . . . 321

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.